

# SAFETY DATA SHEET

## Ella Zala Graffiti Magic Colour Nail Art Gel

### TABLE OF CONTENTS

- SECTION 1. IDENTIFICATION
- SECTION 2. HAZARDS IDENTIFICATION
- SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS
- SECTION 4. FIRST AID MEASURES
- SECTION 5. FIRE-FIGHTING MEASURES
- SECTION 6. ACCIDENTAL RELEASE MEASURES
- SECTION 7. HANDLING AND STORAGE
- SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION
- SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
- SECTION 10. STABILITY AND REACTIVITY
- SECTION 11. TOXICOLOGICAL INFORMATION
- SECTION 12. ECOLOGICAL INFORMATION
- SECTION 13. DISPOSAL CONSIDERATIONS
- SECTION 14. TRANSPORT INFORMATION
- SECTION 15. REGULATORY INFORMATION
- SECTION 16. OTHER INFORMATION

## SECTION 1. IDENTIFICATION

**Product Name:** Ella Zala Graffiti Magic Colour Nail Art Gel

**Product Type:** UV/LED Curing Colour Nail Art Gel — viscous liquid, available in various colours.

**Identified Uses:** Professional UV/LED nail gel for use by trained nail technicians.

**Uses Advised Against:** Not for use by untrained individuals. Not for internal use.

**Supplier:** Planet Nails Distribution Pty Ltd

**Address:** 8 Conara Road, Kunda Park, 4556 Queensland Australia

**Phone:** (07) 5211 0031

**Email:** info@planetnails.com.au

**Emergency Telephone:** (07) 5211 0031 (business hours)

**Poisons Information Centre:** 13 11 26 (Australia, 24 hours)

**Issue Date:** March 2026

**Version:** 1.0

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification:

- Skin Sensitisation: Category 1
- Skin Irritation: Category 2
- Eye Irritation: Category 2
- Specific Target Organ Toxicity — Single Exposure (Respiratory tract irritation): Category 3

**Signal Word:** WARNING

### Hazard Statements:

- H317 — May cause an allergic skin reaction.
- H315 — Causes skin irritation.
- H319 — Causes serious eye irritation.
- H335 — May cause respiratory irritation.

### Precautionary Statements — Prevention:

- P261 — Avoid breathing vapours/mist.
- P264 — Wash hands thoroughly after handling.
- P272 — Contaminated work clothing should not be allowed out of the workplace.
- P280 — Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements — Response:

- P302+P352 — IF ON SKIN: Wash with plenty of soap and water.
- P333+P313 — If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 — If eye irritation persists: Get medical advice/attention.
- P362+P364 — Take off contaminated clothing and wash before reuse.
- P304+P340 — IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 — Call the Poisons Information Centre (13 11 26) if you feel unwell.

### Precautionary Statements — Storage:

- P410+P403 — Store away from direct sunlight and heat sources in a cool, ventilated area.
- P405 — Store locked up / keep out of reach of children.

### Precautionary Statements — Disposal:

- P501 — Dispose of contents/container in accordance with all local, state, national and international regulations.

**Explosive/Fire Danger:** This product does not present a combustion or explosion hazard under normal conditions of use.

**Scheduled Poison:** Not scheduled under the current Poisons Standard (SUSMP).

### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Substance/Mixture:** Mixture

**Chemical Name:** Ella Zala Graffiti Magic Colour Nail Art Gel

Ingredient Name	CAS Number	INCI Name	Content (% wt)	Purpose
Acrylates/Carbamate Copolymer	24938-16-7	Acrylates/Carbamate Copolymer	55–70	Film Former / Adhesive
Acrylates/VP Copolymer	26589-26-4	Acrylates/VP Copolymer	32–45	Film Former / Solvent
Acrylates Copolymer	25035-69-2	Acrylates Copolymer	1–5	Film Former
Bis(4-methoxybenzoyl) diethylgermanium (BAPO)	89452-37-9	BAPO	1–5	Photoinitiator

**Colorants — product may contain one or more of the following:**

Colorant (may contain one or more)	CAS Number	CI / INCI Name	Content (% wt)	Purpose
D & C Red No. 34	6417-83-0	CI 15880	0.1–0.5	Colorant — red
Iron Oxides	1309-37-1	CI 77491	0.1–0.5	Colorant — red/brown
Titanium Dioxide	13463-67-7	CI 77891	0.1–0.5	Colorant — white
Ultramarines	57455-37-5	CI 77007	0.1–0.5	Colorant — blue/violet
Bismuth Chloride Oxide	7787-59-9	CI 77163	0.1–0.5	Colorant — shimmer/pearl
Iron Oxides (yellow)	51274-00-1	CI 77492	0.1–0.5	Colorant — yellow

Any concentration shown as a range is to protect confidentiality or is due to batch variation. Ingredients are listed in accordance with the Australian Industrial Chemicals Introduction Scheme (AICIS).

### SECTION 4. FIRST AID MEASURES

**Eye Contact:** Flush immediately with plenty of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses if present and easy to do. Seek immediate medical attention. Contact Poisons Information Centre: 13 11 26.

**Skin Contact:** Remove contaminated clothing and shoes. Immediately flush skin with plenty of soap and water. Wash clothing before reuse. Seek medical attention if irritation or rash develops.

**Inhalation:** Remove person to fresh air. Keep at rest in a comfortable position for breathing. Seek medical attention if symptoms persist or are severe.

**Ingestion:** Do NOT induce vomiting. Keep person calm. Seek immediate medical attention. Contact Poisons Information Centre: 13 11 26.

**Most Important Symptoms:**

- Skin: irritation, redness, possible allergic skin reaction with repeated exposure.
- Eyes: irritation, redness, pain.
- Inhalation: respiratory tract irritation if vapours inhaled.

**Notes to Physician:** Treat symptomatically. Contact a poison treatment specialist if large quantities have been ingested or inhaled.

## SECTION 5. FIRE-FIGHTING MEASURES

**Flash Point:** 105°C

**Auto-ignition Temperature:** Not available

**Flammable Limits — Lower:** Not available

**Flammable Limits — Upper:** Not available

**Suitable Extinguishing Media:** Foam, dry chemical powder or carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media:** Do not use water jet directly on product.

**Specific Hazards:** Uncontrolled polymerisation may occur at high temperatures, potentially resulting in explosions or rupture of storage containers. Combustion may produce oxides of carbon and nitrogen, irritating organic vapours, and toxic fumes.

**Protective Equipment for Fire-Fighters:** Wear self-contained breathing apparatus (SCBA) and full protective clothing when fighting fires involving this material.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Remove sources of ignition. Ensure adequate ventilation. Avoid skin and eye contact. Wear appropriate PPE — refer to Section 8.

**Environmental Precautions:** Prevent product from entering drains, waterways or sewers. Inform relevant authorities if environmental pollution occurs.

**Clean-up Methods:** Refer to Section 8 for PPE requirements prior to clean-up. Soak up with inert absorbent material (sand, dry earth or vermiculite). Collect and place in a labelled, partly filled closed container until disposal. Dispose of via licensed waste contractor in accordance with Section 13.

## SECTION 7. HANDLING AND STORAGE

**Handling:** Prevent contact with eyes, skin and clothing. Avoid breathing vapours or mist. Do not heat or spray. Wash hands thoroughly after handling. Use only with adequate ventilation. Use explosion-proof equipment and ventilation systems where required. Smoking is strictly prohibited in work areas. Refer to Section 8 for PPE requirements.

**Storage:** Store at or below 26°C in a cool, well-ventilated area away from heat, sparks, open flame, direct sunlight and UV light. Keep containers tightly sealed when not in use. Keep away from strong oxidising agents. Keep out of reach of children. Do not store in unlabelled containers.

**Incompatible Products:** Refer to Section 10.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Workplace Exposure Standards (WES):** Refer to Safe Work Australia's current Workplace Exposure Standards for Airborne Contaminants for applicable WES values for individual components. Safe Work Australia: [www.safeworkaustralia.gov.au](http://www.safeworkaustralia.gov.au)

**Engineering Controls:** Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

**Respiratory Protection:** Wear a respirator compliant with AS/NZS 1715/1716 if there is potential to exceed exposure limits, or if this material is handled at elevated temperatures or under mist-forming conditions without adequate engineering controls.

**Hand/Skin Protection:** Use impermeable gloves (neoprene or PE film equivalent) and protective clothing as necessary to prevent skin contact. Check gloves for deterioration before use.

**Eye/Face Protection:** Wear safety goggles or safety glasses with side shields. In a splash hazard environment, use chemical goggles in combination with a full face shield.

**Hygiene Measures:** No eating, drinking or smoking in work areas. Wash hands, forearms and face thoroughly after handling. Ensure eyewash stations are accessible.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Viscous liquid (gel)

**Odour:** Light characteristic odour

**pH:** Not applicable

**Flash Point:** 105°C

**Melting Point/Range:** Not available

**Boiling Point/Range:** Greater than 93°C

**Specific Gravity:** 1.10

**Vapour Pressure:** Not available

**Vapour Density (Air = 1):** Not available

**Evaporation Rate:** Not available

**Solubility in Water:** Slight

**VOC Content:** Total volatiles 0.80%

**Partition Coefficient (n-octanol/water):** Not available

**Polymerisation:** Will occur under UV/LED irradiation; accompanied by heat generation.

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity:** Stable under normal conditions of storage and use.

**Chemical Stability:** Stable. Exposure to light or high temperatures may affect stability.

**Conditions to Avoid:** Heat, flames, sparks, direct sunlight and UV light. Do not heat above 26°C.

**Incompatible Materials:** Strong acids, strong alkalis and oxidising agents.

**Hazardous Polymerisation:** May occur under UV/LED irradiation or extreme heat.

**Hazardous Decomposition Products:** Oxides of carbon, oxides of nitrogen, dimethylamine, irritating organic vapours.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** Low toxicity under normal conditions of use.

**Skin Contact:** May cause skin irritation with excessive or repeated exposure. May cause allergic skin reaction in sensitised individuals.

**Eye Contact:** May cause irritation on direct or prolonged contact.

**Inhalation:** Excessive inhalation of vapours may cause respiratory tract irritation.

**Ingestion:** Low toxicity. Seek medical advice if ingested.

**Carcinogenicity:** No components are listed as carcinogens by NTP, IARC or Safe Work Australia.

**Chronic Health Effects:** Repeated or prolonged skin contact may lead to sensitisation. Once sensitised, reactions may occur at very low exposure levels. Ensure adequate ventilation during use.

## SECTION 12. ECOLOGICAL INFORMATION

**Environmental Impact:** Minor environmental impact expected under normal use. Care should be taken to prevent product from entering waterways, drains, or soil.

**Persistence/Degradability:** No specific data available.

**Bioaccumulative Potential:** No specific data available.

**Mobility in Soil:** No specific data available.

**Other Adverse Effects:** Avoid dispersal of product into waterways, drains or soil.

## SECTION 13. DISPOSAL CONSIDERATIONS

**Waste Properties:** Classified as coating/gel waste.

**Disposal Method:** Minimise waste generation wherever possible. Dispose of via a licensed waste disposal contractor in accordance with Commonwealth, State/Territory and local government regulations. Do not dispose of untreated product into sewers or waterways. Waste packaging should be recycled where possible.

**Note:** Waste storage and disposal must comply with all applicable Australian national, state and local environmental regulations.

## SECTION 14. TRANSPORT INFORMATION

	ADG (Australia)	IMDG (Sea)	IATA (Air)	ADR/RID
UN Number	Not regulated	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	—	—	—	—
Transport Hazard Class	—	—	—	—
Packing Group	—	—	—	—
Environmental Hazards	No	No	No	No

**Dangerous Goods Classification:** This product contains no substances classified as dangerous goods under international or Australian transport regulations (ADG Code).

**Packing Method:** Suitable sealed container appropriate for gel products.

**Shipping Notes:** Handle with care to prevent packaging and container breakage. Store and transport away from heat and UV light sources.

## SECTION 15. REGULATORY INFORMATION

### Australia:

- Work Health and Safety (WHS) Act 2011 (Cth) and associated WHS Regulations (Commonwealth, State and Territory).
- Safe Work Australia — Model Code of Practice: Managing Risks of Hazardous Chemicals in the Workplace.
- Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP / Poisons Standard) — not currently scheduled.
- Australian Industrial Chemicals Introduction Scheme (AICIS) — All ingredients are listed or exempt from listing on the Australian Inventory of Industrial Chemicals.

### New Zealand:

- Hazardous Substances and New Organisms (HSNO) Act 1996 applies for NZ customers.
- Refer to relevant WorkSafe New Zealand requirements.

## SECTION 16. OTHER INFORMATION

**Issue Date:** March 2026

**Version:** 1.0

**Revision Date:** March 2026

**Prepared by:** Planet Nails Distribution Pty Ltd

### Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, Planet Nails Distribution Pty Ltd does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. This SDS supersedes all previous versions.



ELLA ZALA NAIL ART

**Planet Nails Distribution Pty Ltd**

8 Conara Road, Kunda Park, 4556 Queensland Australia  
Phone: (07) 5211 0031 | Email: [info@planetnails.com.au](mailto:info@planetnails.com.au)

**SAFETY DATA SHEET**

Page 7 of 7