

SAFETY DATA SHEET

Ella Zala Texture 3D Nail Art Gel

TABLE OF CONTENTS

- SECTION 1. IDENTIFICATION
- SECTION 2. HAZARDS IDENTIFICATION
- SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS
- SECTION 4. FIRST AID MEASURES
- SECTION 5. FIRE-FIGHTING MEASURES
- SECTION 6. ACCIDENTAL RELEASE MEASURES
- SECTION 7. HANDLING AND STORAGE
- SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION
- SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
- SECTION 10. STABILITY AND REACTIVITY
- SECTION 11. TOXICOLOGICAL INFORMATION
- SECTION 12. ECOLOGICAL INFORMATION
- SECTION 13. DISPOSAL CONSIDERATIONS
- SECTION 14. TRANSPORT INFORMATION
- SECTION 15. REGULATORY INFORMATION
- SECTION 16. OTHER INFORMATION

SECTION 1. IDENTIFICATION

Product Name: Ella Zala Texture 3D Nail Art Gel
Other Means of Identification: Ella Zala Texture 3D Nail Art Gel Range
Product Type: UV/LED Curing Nail Art Gel — viscous liquid.
Identified Uses: Professional nail art gel for use by trained nail technicians.
Uses Advised Against: Not for use by untrained individuals. Not for internal use.
Supplier: Planet Nails Distribution Pty Ltd
Address: 8 Conara Road, Kunda Park, 4556 Queensland Australia
Phone: (07) 5211 0031
Email: info@planetnails.com.au
Emergency Telephone: (07) 5211 0031 (business hours)
Poisons Information Centre: 13 11 26 (Australia, 24 hours)
Issue Date: March 2026
Version: 1.0

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification:

- Skin Sensitisation: Category 1
- Skin Irritation: Category 2
- Eye Irritation: Category 2

Signal Word: WARNING

Hazard Statements:

- H317 — May cause an allergic skin reaction.
- H315 — Causes skin irritation.
- H319 — Causes serious eye irritation.
- H335 — May cause respiratory irritation.

Precautionary Statements — Prevention:

- P261 — Avoid breathing vapours/mist.
- P264 — Wash hands thoroughly after handling.
- P272 — Contaminated work clothing should not be allowed out of the workplace.
- P280 — Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements — Response:

- P302+P352 — IF ON SKIN: Wash with plenty of soap and water.
- P333+P313 — If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 — If eye irritation persists: Get medical advice/attention.
- P362+P364 — Take off contaminated clothing and wash before reuse.
- P304+P340 — IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 — Call the Poisons Information Centre (13 11 26) if you feel unwell.

Precautionary Statements — Storage:

- P410+P403 — Store away from direct sunlight and heat sources in a cool, ventilated area.
- P405 — Store locked up / keep out of reach of children.

Precautionary Statements — Disposal:

- P501 — Dispose of contents/container in accordance with all local, state, national and international regulations.

Explosive/Fire Danger: This product does not present a combustion or explosion hazard under normal conditions of use.

Scheduled Poison: Not scheduled under the current Poisons Standard (SUSMP).

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Chemical Name: Ella Zala Texture 3D Nail Art Gel

Ingredient Name	CAS Number	INCI Name	Content (%)	Purpose
Acrylates Copolymer	25035-69-2	Acrylates Copolymer	65.938	Film Former
Isobornyl Methacrylate	7534-94-3	Isobornyl Methacrylate	19.5	Monomer
Hydroxypropyl Methacrylate	27813-02-1	Hydroxypropyl Methacrylate	3.0	Monomer
Silica	7631-86-9	Silica	8.4	Thickener
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	Trimethylbenzoyl Diphenylphosphine Oxide	3.1	Photoinitiator
BHT	128-37-0	BHT	0.017	Antioxidant

Any concentration shown as a range is to protect confidentiality or is due to batch variation. Ingredients are listed in accordance with the Australian Industrial Chemicals Introduction Scheme (AICIS).

SECTION 4. FIRST AID MEASURES

Eye Contact: Rinse face and flush immediately with plenty of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses if present and easy to do. Seek medical attention if irritation persists. Contact Poisons Information Centre: 13 11 26.

Skin Contact: Remove contaminated clothing. Wash affected area thoroughly with soap and water for at least 10 minutes. Seek medical attention if irritation or rash develops.

Inhalation: Remove person to fresh air. Keep at rest in a comfortable position for breathing. Seek medical attention if symptoms persist or are severe.

Ingestion: Do NOT induce vomiting. Wash out mouth with water. If the exposed person is conscious, give small amounts of water to drink. Seek immediate medical attention. Contact Poisons Information Centre: 13 11 26.

Most Important Symptoms:

- Skin: irritation, redness, possible allergic skin reaction.
- Eyes: irritation, redness, pain.
- Inhalation: respiratory tract irritation if vapours inhaled.

Notes to Physician: Treat symptomatically. Contact a poison treatment specialist if large quantities have been ingested or inhaled.

SECTION 5. FIRE-FIGHTING MEASURES

Flash Point: 105°C

Auto-ignition Temperature: Not available

Flammable Limits — Lower: Not available

Flammable Limits — Upper: Not available

Suitable Extinguishing Media: Foam, dry chemical powder or carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use water jet directly on product.

Specific Hazards: Uncontrolled polymerisation may occur at high temperatures, potentially resulting in explosions or rupture of storage containers. Combustion may produce oxides of carbon and nitrogen, and irritating organic vapours.

Protective Equipment for Fire-Fighters: Wear self-contained breathing apparatus (SCBA) and full protective clothing when fighting fires involving this material.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Remove sources of ignition. Ensure adequate ventilation. Avoid skin and eye contact. Wear appropriate PPE — refer to Section 8.

Environmental Precautions: Prevent product from entering drains, waterways or sewers. Inform relevant authorities if environmental pollution occurs.

Small Spill: Ventilate area. Absorb with sand or inert absorbent material. Collect and place in a labelled waste container. Dispose of via licensed waste contractor in accordance with Section 13.

Large Spill: Immediately report to emergency services. Prevent entry into sewers and waterways. Contain and collect material. Transfer and dispose via licensed waste contractor. Do not allow untreated material to enter the sewage system.

SECTION 7. HANDLING AND STORAGE

Handling: Ensure adequate ventilation at all times. Avoid skin and eye contact. Avoid breathing vapours or mist. Do not heat or spray. Wash hands thoroughly after handling. Use explosion-proof equipment and ventilation systems where required. Smoking is strictly prohibited in work areas. Refer to Section 8 for PPE requirements.

Storage: Store at or below 26°C in a cool, well-ventilated area away from direct sunlight, UV light, heat sources, sparks and open flame. Keep away from strong oxidising agents. Keep containers tightly sealed when not in use. Keep out of reach of children. Do not store in unlabelled containers.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Standards (WES): Refer to Safe Work Australia's current Workplace Exposure Standards for Airborne Contaminants for applicable WES values for individual components. Safe Work Australia: www.safeworkaustralia.gov.au

Engineering Controls: Ensure adequate ventilation. Use local exhaust ventilation or process enclosures where vapour or mist may be generated.

Respiratory Protection: Wear a respirator compliant with AS/NZS 1715/1716 where ventilation is insufficient or if handled at elevated temperatures or mist-forming conditions.

Eye/Face Protection: Wear safety glasses or chemical splash goggles where splashing is possible. Use a full face shield in high-splash environments.

Hand Protection: Wear chemical-resistant gloves (neoprene or PE film equivalent). Check gloves for deterioration before use.

Body Protection: Wear cotton overalls or other appropriate protective clothing.

Hygiene Measures: No eating, drinking or smoking in work areas. Wash hands, forearms and face thoroughly after handling. Ensure eyewash stations are accessible.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous liquid (gel) — transparent

Odour: Light characteristic odour

pH: Not applicable

Flash Point: 105°C

Melting Point/Range: Not available

Boiling Point/Range: Greater than 93°C

Relative Density (water = 1): Not available

Vapour Pressure: Not available

Vapour Density (Air = 1): Not available

Evaporation Rate: Not available

Solubility in Water: Slight

Polymerisation: Will occur under UV/LED irradiation; accompanied by heat generation.

Partition Coefficient (n-octanol/water): Not available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Stable under normal storage and handling conditions.

Chemical Stability: Stable. Exposure to light or high temperatures may affect stability.

Conditions to Avoid: Heat, flames, sparks, direct sunlight, bright light and UV light. Do not heat above 26°C.

Incompatible Materials: Strong acids, strong alkalis and oxidising agents.

Hazardous Polymerisation: May occur under UV/LED irradiation or extreme heat.

Hazardous Decomposition Products: Oxides of carbon, oxides of nitrogen, dimethylamine, irritating organic vapours.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Low toxicity under normal conditions of use.

Skin Contact: May cause skin irritation with excessive or repeated exposure. May cause allergic skin reaction in sensitised individuals.

Eye Contact: May cause irritation on direct or prolonged contact.

Inhalation: Excessive inhalation of vapours may cause respiratory tract irritation.

Ingestion: Low toxicity. Seek medical advice if ingested.

Carcinogenicity: No components are listed as carcinogens by NTP, IARC or Safe Work Australia.

Chronic Health Effects: Repeated or prolonged skin contact may lead to sensitisation. Once sensitised, reactions may occur at very low exposure levels. Ensure adequate ventilation during use.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Impact: The material has mild environmental impact. Care should be taken to prevent water pollution.

Persistence/Degradability: No specific data available.

Bioaccumulative Potential: No specific data available.

Mobility in Soil: No specific data available.

Other Adverse Effects: Avoid dispersal of product into waterways, drains or soil.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Properties: Classified as coating/gel waste.

Disposal Method: Minimise waste generation wherever possible. Dispose of via a licensed waste disposal contractor in accordance with Commonwealth, State/Territory and local government regulations. Do not dispose of untreated product into sewers or waterways. Waste packaging should be recycled where possible.

Note: Waste storage and disposal must comply with all applicable Australian national, state and local environmental regulations.

SECTION 14. TRANSPORT INFORMATION

	ADG (Australia)	IMDG (Sea)	IATA (Air)	ADR/RID
UN Number	Not regulated	Not regulated	Not regulated	Not regulated

UN Proper Shipping Name	—	—	—	—
Transport Hazard Class	—	—	—	—
Packing Group	—	—	—	—
Environmental Hazards	No	No	No	No

Dangerous Goods Classification: This product contains no substances classified as dangerous goods under international or Australian transport regulations.

Packing Method: Suitable sealed container appropriate for gel products.

Shipping Notes: Handle with care to prevent packaging and container breakage. Store and transport away from heat and UV light sources.

SECTION 15. REGULATORY INFORMATION

Australia:

- Work Health and Safety (WHS) Act 2011 (Cth) and associated WHS Regulations (Commonwealth, State and Territory).
- Safe Work Australia — Model Code of Practice: Managing Risks of Hazardous Chemicals in the Workplace.
- Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP / Poisons Standard) — not currently scheduled.
- Australian Industrial Chemicals Introduction Scheme (AICIS) — All ingredients are listed or exempt from listing on the Australian Inventory of Industrial Chemicals.

New Zealand:

- Hazardous Substances and New Organisms (HSNO) Act 1996 applies for NZ customers.
- Refer to relevant WorkSafe New Zealand requirements.

SECTION 16. OTHER INFORMATION

Issue Date: March 2026

Version: 1.0

Revision Date: March 2026

Prepared by: Planet Nails Distribution Pty Ltd

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, Planet Nails Distribution Pty Ltd does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. This SDS supersedes all previous versions.